

## Safety Data Sheet

### MAPEFLOOR FINISH 58 W comp. B

Safety Data Sheet dated: 11/11/2019 - version 1



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: MAPEFLOOR FINISH 58 W comp. B

Trade code: 906QC0999

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Epoxy paint

Uses advised against: Data not available

### 1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel: +39-02-376731

Fax: +39-02-37673.214

Responsible: sicurezza@mapei.it

### 1.4. Emergency telephone number

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029

MAPEI S.p.A. - Tel. +(39)02376731 - (office hours)

## SECTION 2: Hazards identification



### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

Acute Tox. 4 Harmful if inhaled.  
Skin Sens. 1B May cause an allergic skin reaction.  
STOT SE 3 May cause respiratory irritation.  
Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.  
Adverse physicochemical, human health and environmental effects:  
No other hazards

### 2.2. Label elements

#### Regulation (EC) n. 1272/2008 (CLP)

#### Pictograms and Signal Words



Warning

#### Hazard statements:

H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements:

P261 Avoid breathing mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P312 Call a POISON CENTER if you feel unwell.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.

#### Special Provisions:

EUH204 Contains isocyanates. May produce an allergic reaction.

#### Contains:

Aliphatic polyisocyanate  
(2,4,6-trioxotriazine-1,3,5(2H,4H,6H)-  
triyI)tris(hexamethylene) isocyanate

cyclohexyldimethylamine  
hexamethylene-di-isocyanate

**Special provisions according to Annex XVII of REACH and subsequent amendments:**

None

**2.3. Other hazards**

No PBT/vPvB Ingredients are present

Other Hazards: No other hazards

---

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

N.A.

**3.2. Mixtures**

Mixture identification: MAPEFLOOR FINISH 58 W comp. B

**Hazardous components within the meaning of the CLP regulation and related classification:**

Quantity	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	Aliphatic polyisocyanate	CAS:666723-27-9	Acute Tox. 4, H332; Skin Sens. 1,1A,1B, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	
≥20 - <25 %	(2,4,6-trioxotriazine-1,3,5(2H,4H,6H)-triyI)tris(hexamethylene) isocyanate	CAS:3779-63-3 EC:223-242-0	Acute Tox. 4, H332; Skin Sens. 1B, H317; STOT SE 3, H335	
≥0.49 - <1 %	cyclohexyldimethylamine	CAS:98-94-2 EC:202-715-5	Flam. Liq. 3, H226; Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1B, H314; Acute Tox. 3, H331; Aquatic Chronic 2, H411	01-2119533030-60-XXXX
≥0.1 - <0.25 %	hexamethylene-di-isocyanate	CAS:822-06-0 EC:212-485-8 Index:615-011-00-1	Acute Tox. 2, H330; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317	01-2119457571-37-xxxx

---

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

**4.2. Most important symptoms and effects, both acute and delayed**

N.A.

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

## 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

## 5.3. Advice for firefighters

Use suitable breathing apparatus.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

### 6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
cyclohexyldimethylamine	National	CZECHIA		5					
	National	CZECHIA	C			10			
hexamethylene-diisocyanate	ACGIH	NNN			0,005				URT irr, resp sens
	National	SWEDEN	C	0,02	0,002	0,03	0,005		SWEDEN, Ceiling limit value
	National	NORWAY		0,035	0,005				NORWAY, A 4
	National	NORWAY		0,035	0,005	0,07	0,01		

DFG	GERMANY	C		0,035	0,005	
ACGIH			0,005			respiratory sensitization; upper respiratory tract irritation
National	SWEDEN		0,02	0,002		
National	FRANCE		0,075	0,01	0,15	0,02
National	SPAIN		0,035	0,005		
National	GREECE		0,075	0,01	0,15	0,02
National	DENMARK		0,035	0,005		
National	GERMANY		0,035	0,005		
National	PORTUGAL			0,005		
National	NORWAY		0,035	0,005		0,01
National	BELGIUM		0,034	0,005		
NDS	POLAND		0,04			
NDSCh	POLAND				0,08	
National	CZECHIA		0,035			
National	HUNGARY		0,035		0,035	
Malaysi a OEL	MALAYSIA		0,034	0,005		
National	ESTONIA		0,03	0,005	0,07	0,01
National	LATVIA		0,05			
National	CZECHIA	C			0,07	
National	SLOVAKIA		0,035	0,005		
National	SLOVENIA		0,035	0,005	0,035	0,005
National	BULGARIA		0,1			
National	ROMANIA		0,05	0,007	1	0,14
National	LITHUANIA		0,03	0,005		
National	LITHUANIA	C			0,07	0,01

#### Biological Exposure Index

CAS-No.	Component	Value	UoM	Medium	Biological Indicator	Sampling Period
822-06-0	hexamethylene-di-isocyanate	15	MICROGGCREAT	Urine	1,6-Hexamethylenediamine with hydrolysis	End of turn

#### Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC LIMIT	Exposure Route	Exposure Frequency	Remark
hexamethylene-di-isocyanate	822-06-0	0,077 mg/l	Fresh Water		
		0,008 mg/l	Marine water		
		8,42 mg/l	Microorganisms in sewage treatments		
		0,013 mg/kg	Freshwater sediments		
		0,001 mg/kg	Marine water		
		0,003	Soil		

#### Derived No Effect Level. (DNEL)

Component	CAS-No.	Worker Industrial	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
hexamethylene-di-isocyanate	822-06-0	0,035 mg/m3			Human Inhalation	Long Term, systemic effects	

0,07 mg/m <sup>3</sup>	Human Inhalation	Short Term, systemic effects
0,035 mg/m <sup>3</sup>	Human Inhalation	Long Term, local effects
0,07 mg/m <sup>3</sup>	Human Inhalation	Short Term, local effects

## 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN 374:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

In case of insufficient ventilation use mask with ABEKP filters (EN 14387).

Use adequate protective respiratory equipment.

Hygienic and Technical measures

N.A.

Appropriate engineering controls:

N.A.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Liquid transparent

Odour: characteristic

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 1.09 g/cm<sup>3</sup>

Solubility in water: partly soluble

Partition coefficient (n-octanol/water): N.A. - This product is a mixture

Auto-ignition temperature: N.A. - No explosive or spontaneous ignition in contact with air at room temperature

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A. - No components with explosive properties

Oxidizing properties: N.A. - No component with oxidizing properties

Solid/gas flammability: N.A.

### 9.2. Other information

No additional information

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None.

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

None in particular.

#### 10.6. Hazardous decomposition products

None.

---

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

##### Toxicological information on main components of the mixture:

Aliphatic polyisocyanate	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
		LC50 Inhalation Rat = 0,390 mg/l 4h
	d) respiratory or skin sensitisation	Skin Sensitization Skin Mouse Positive
cyclohexyldimethylamine	a) acute toxicity	LC50 Inhalation Rat = 1889 mg/m3 2h
		LD50 Oral Rat = 272 mg/kg
hexamethylene-di-isocyanate	a) acute toxicity	LD50 Oral Rat = 746 mg/kg
		LC50 Inhalation Vapour Rat = 0,124 mg/l 4h
		LD50 Skin Rat > 7000 mg/kg
		LD50 Skin Rabbit = 593 mg/kg
		LC50 Inhalation Rat = 0,06 mg/l 4h
		LD50 Oral Rat = 738 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- k) Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

---

### SECTION 12: Ecological information

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

##### List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
>=25 - <50 %	Aliphatic polyisocyanate	CAS: 666723-27-9	a) Aquatic acute toxicity : LC50 Fish = 35,2 mg/L 96

>=0.49 - <1 %	cyclohexyldimethylamine	CAS: 98-94-2 - EINECS: 202-715-5	a) Aquatic acute toxicity : EC50 Daphnia > 100 mg/L 48
			a) Aquatic acute toxicity : EC50 Algae = 72 mg/L 72
			c) Bacteria toxicity : EC50 Bacteria > 10000 mg/L
>=0.1 - <0.25 %	hexamethylene-di-isocyanate	CAS: 822-06-0 - EINECS: 212-485-8 - INDEX: 615-011-00-1	a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna Straus = 75 mg/L 48h IUCLID
			a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 0,309 mg/L 72h IUCLID
			a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 0,0885 mg/L 96h IUCLID
>=0.1 - <0.25 %	hexamethylene-di-isocyanate	CAS: 822-06-0 - EINECS: 212-485-8 - INDEX: 615-011-00-1	a) Aquatic acute toxicity : EC50 Algae = 77,4 mg/L 72
			a) Aquatic acute toxicity : LC50 Fish = 8,8 mg/L 96
>=0.1 - <0.25 %	hexamethylene-di-isocyanate	CAS: 822-06-0 - EINECS: 212-485-8 - INDEX: 615-011-00-1	a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 26,1 mg/L 96h IUCLID

## 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

## 12.6. Other adverse effects

N.A.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

# SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

## 14.1. UN number

N.A.

## 14.2. UN proper shipping name

N.A.

## 14.3. Transport hazard class(es)

N.A.

## 14.4. Packing group

N.A.

## 14.5. Environmental hazards

N.A.

## 14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

ADR-Hazard identification number: NA

Air (IATA):

N.A.

Sea (IMDG):

N.A.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC) : 85 (A+B) g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) 2015/830

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

### German Water Hazard Class.

N.A.

### Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3, 40

Restrictions related to the substances contained: None

### SVHC Substances:

No Data Available

MAL-kode: COMP. B: 5-6 (1993), COMP.A+B=4-5 (1993)

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

---

## SECTION 16: Other information

Code	Description
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.1/2/Inhal	Acute Tox. 2	Acute toxicity (inhalation), Category 2
3.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3
3.1/3/Inhal	Acute Tox. 3	Acute toxicity (inhalation), Category 3
3.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3
3.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4



3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.1/1	Resp. Sens. 1	Respiratory Sensitisation, Category 1
3.4.2/1	Skin Sens. 1	Skin Sensitisation, Category 1
3.4.2/1-1A-1B	Skin Sens. 1,1A,1B	Skin Sensitisation, Category 1,1A,1B
3.4.2/1B	Skin Sens. 1B	Skin Sensitisation, Category 1B
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3
4.1/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Classification according to Regulation (EC) Nr. 1272/2008      Classification procedure**

3.1/4/Inhal	Calculation method
3.4.2/1B	Calculation method
3.8/3	Calculation method
4.1/C3	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

VOC: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
LDLo: Leathal Dose Low  
N.A.: Not Applicable  
NA: Not available  
NIOSH: National Institute for Occupational Safety and Health  
NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration.  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.